

HPLC - Shimadzu UFLC LC 20

Name..... Date of sample submission.....
Institution..... Faculty..... Dept.....
Address.....
Telephone / Mobile No..... Fax No..... Email.....
Sample identification No.....
No. of Samples Project No. / Course No.

1. I agree to acknowledge **Research Sector Projects Unit (GS 03/01)** in Annual Reports, Final Reports, Graduate student's thesis and generated publications. I also confirm that these analyses are consistent with the objectives of my on-going research projects / research. I agree to pay standard charges for analysis done for Non-RA funded projects/samples from outside.

2. I agree to forward to the VDR-Science, any papers which may be published due to the usage of the instrument.

Sample Hazard : ☐ Toxic ☐ Explosive ☐ Corrosive ☐ Flammable ☐ Non-Hazardous

P.I / Supervisor..... Signature of P.I.....

Sample Details
Suggested method.....

| | | | |
|----------------------------|--|----------------------------|--|
| Column | | Expected concentration | |
| Eluent / Eluents | | Wavelength for UV Detector | |
| Gradient / Isocratic (G/I) | | Em Wavelength | |
| Flow rate mL/min | | Ex Wavelength for RF | |
| Gradient Program | | Quantitative (Yes / No) | |
| Detector (UV / RI / RF) | | Internal Standard | |

Special instructions, if any
.....

ENDORSEMENTS

| | | |
|---------------------------------------|---|---|
| Principal Investigator (VDR) | Co. Investigator (Head of respective Department) | Head of the requesting institutions for non-Faculty of Science. |
|---------------------------------------|---|---|

FOR LAB USES ONLY

Date: Sample Received..... Analyzed.....
Technician.....
Remarks.....
.....

Please collect your samples within one week after collecting the results

* For more information about RSPU facility: <http://histonano.com/rspu/>